

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 1/13  
(30128307/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Phantom Termiticide/Insecticide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, insecticide  
Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 62151  
EPA Registration number: 241-392  
Molecular formula: C(15) H(11 ) Br Cl F(3) N(2) O  
Chemical family: pyrrole derivative  
Synonyms: chlorfenapyr

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	3 (Inhalation - mist)	Acute toxicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 2/13  
(30128307/SDS\_CPA\_US/EN)

Aquatic Chronic

1

Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H331 Toxic if inhaled.  
H302 Harmful if swallowed.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P261 Avoid breathing mist.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P311 Call a POISON CENTER or doctor/physician.  
P330 Rinse mouth.  
P391 Collect spillage.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

### Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 1 - 3 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 12 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 12 % Inhalation - mist

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

---

## 3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
-------------------	-----------------	----------------------

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Version: 12.0

Page: 3/13

(30128307/SDS\_CPA\_US/EN)

---

122453-73-0	21.45 %	Chlorfenapyr
64-19-7	0.3%	Acetic acid
2634-33-5	0.1%	1,2-benzisothiazol-3(2H)-one

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

##### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. Take patient to hospital immediately. Medical monitoring for at least 7 days.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far  
Symptoms of poisoning may only appear after several hours or several days.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

#### Extinguishing media

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 4/13  
(30128307/SDS\_CPA\_US/EN)

Suitable extinguishing media:  
foam, dry powder, carbon dioxide, water spray

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen bromide, hydrochloric acid, Hydrofluoric acid, hydrogen fluoride, halogenated hydrocarbons, nitrogen dioxide, To be archived: Hydrocarbons,  
If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Do not decontaminate personnel or equipment, or handle broken packages or containers without appropriate personal protective equipment.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 5/13  
(30128307/SDS\_CPA\_US/EN)

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy.

Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear.

Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge.

Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

No occupational exposure limits known.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Personal protective equipment should be decontaminated prior to reuse.

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Page: 6/13

Version: 12.0

(30128307/SDS\_CPA\_US/EN)

Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form:	liquid
Odour:	sweetish, characteristic
Odour threshold:	Not determined since toxic by inhalation.
Colour:	white to light brown
pH value:	approx. 6 - 8 (approx. 25 °C) (measured with the undiluted substance)
Freezing point:	approx. 0 °C ( 1,013.3 hPa)
Boiling point:	Information applies to the solvent. approx. 100 °C ( 1,013 mbar)
Flash point:	Information applies to the solvent. > 95 °C
Flammability:	Based on the chemical structure there is no indication of flammability
Autoignition:	not applicable
Vapour pressure:	approx. 23.3 hPa ( 20 °C)
Density:	Information applies to the solvent. approx. 1.13 g/cm <sup>3</sup> ( 20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, hydrogen bromide, hydrochloric acid, Hydrofluoric acid, hydrogen fluoride, halogenated hydrocarbons, nitrogen dioxide, To be archived: Hydrocarbons
Viscosity, dynamic:	Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. approx. 757 mPa.s ( 20 °C)
Solubility in water:	dispersible
Molar mass:	407.6 g/mol
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Version: 12.0

Page: 7/13

(30128307/SDS\_CPA\_US/EN)

Oxidizing properties:  
not fire-propagating (Regulation 440/2008/EC, A.21)  
Not an oxidizer.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.  
No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

See MSDS section 7 - Handling and storage.

### Incompatible materials

strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, hydrogen bromide, hydrochloric acid, Hydrofluoric acid, hydrogen fluoride, halogenated hydrocarbons, nitrogen dioxide, To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term inhalation. Slightly toxic after short-term skin contact.

#### Oral

Type of value: LD50

Species: mouse (male)

Value: 45 mg/kg

Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

#### Inhalation

Type of value: LC50

Species: rat (male)

Value: 2.284 mg/l (calculated)

Exposure time: 1 h

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Page: 8/13

Version: 12.0

(30128307/SDS\_CPA\_US/EN)

Type of value: LC50  
Species: rat (female)  
Value: > 6.4 mg/l (calculated)  
Exposure time: 1 h

### Dermal

Type of value: LD50  
Species: rabbit  
Value: > 2,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

A single exposure may have relevant toxic effects on organs.

Target organ: Nervous system

### Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause slight but temporary irritation to the eyes.

### Skin

Species: rabbit

Result: Slightly irritating.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Eye

Species: rabbit

Result: non-irritant

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Method: OECD Guideline 406

### Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: chlorfenapyr*

*Assessment of repeated dose toxicity: May cause damage to the nervous system.*

### Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity



# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Page: 9/13

Version: 12.0

(30128307/SDS\_CPA\_US/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far  
Symptoms of poisoning may only appear after several hours or several days.

### Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

#### Toxicity to fish

LC50 (96 h) 0.108 mg/l, *Oncorhynchus mykiss* (Flow through.)

#### Aquatic invertebrates

EC50 (48 h) 0.0121 mg/l, *Daphnia magna* (static)

#### Aquatic plants

EC50 (72 h) 4.09 mg/l, *Selenastrum capricornutum* (OECD Guideline 201)

#### Chronic toxicity to fish

*Information on: chlorfenapyr*

*No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss*

-----

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 10/13  
(30128307/SDS\_CPA\_US/EN)

### Chronic toxicity to aquatic invertebrates

*Information on: chlorfenapyr*

*No observed effect concentration (28 d) 0.000172 mg/l, Mysidopsis bahia*  
-----

### Assessment of terrestrial toxicity

Acutely very toxic to terrestrial organisms.

## **Persistence and degradability**

### Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: chlorfenapyr*

*Not readily biodegradable (by OECD criteria).*  
-----

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

*Information on: chlorfenapyr*

*Bioconcentration factor: 116, Cyprinus carpio*  
*Accumulation in organisms is not to be expected.*  
-----

## **Mobility in soil**

### Assessment transport between environmental compartments

*Information on: chlorfenapyr*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*  
-----

## **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Must be disposed of or incinerated in accordance with local regulations.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 11/13  
(30128307/SDS\_CPA\_US/EN)

### RCRA:

This product is not regulated by RCRA.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains CHLORFENAPYR)

### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains CHLORFENAPYR)

### Further information

The following provisions may apply for product in packages containing a net quantity of 5 L or less  
ADR, RID, ADN: Special Provision 375;  
IMDG: 2.10.2.7;  
IATA: A197;  
TDG: Special Provision 99(2);  
49CFR: §171.4 (c) (2).

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12  
Version: 12.0

Page: 12/13  
(30128307/SDS\_CPA\_US/EN)

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
NJ	57-55-6	Propylene glycol
PA	57-55-6	Propylene glycol

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

### BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

### NFPA Hazard codes:

Health: 2      Fire: 1      Reactivity: 1      Special:

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### CAUTION:

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

May cause moderate but temporary irritation to the eyes.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Do not get in eyes, on skin, or on clothing.

Avoid inhalation of mists/vapours.

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2019/07/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET

# Safety Data Sheet

## Phantom Termiticide/Insecticide

Revision date : 2019/07/12

Page: 13/13

Version: 12.0

(30128307/SDS\_CPA\_US/EN)

FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET